



K4

The "K4" – for occasional removal of moderate soiling, e.g. on small vehicles, garden fences or bicycles. This high-pressure cleaner features a water-cooled motor.













1 Outstanding performance

■ The state-of-the-art water-cooled motor impresses with its long service life and high level of performance.

3 Quick Connect

The high-pressure hose is easy to manoeuvre, clicking quickly in and out of the device and spray gun. This saves time and effort.

2 Plug ,n' Clean

Quick, easy, convenient - thanks to Plug ,n' Clean, the detergent can be replaced with just one simple movement.

4 Hooked on tidiness

Generous cable hook for the tidy storage of the cable directly on the device.

TECHNICAL DATA AND EQUIPMENT





K 4

To chaical data		
Technical data		
Order no.		1.180-150.0
EAN code		4039784727731
Pressure	bar / MPa	20-130 / 2-13
Flow rate	l/h	420
Max. inlet temperature	°C	max. 40
Connection load	kW	1.8
Weight without accessories	kg	11.8
Dimensions (L × W × H)	mm	300 × 394 × 876
Current type	V / Hz	230 / 50

Equipment		
High-pressure gun		Standard Quick Connect
Vario Power Jet		I .
Dirt blaster		1
High-pressure hose	m	6
Quick Connect on the side of	the device	I .
Detergent application via		Plug 'n' Clean system
Water suction		1
Integrated water filter		I .
A3/4" garden hose connector	adapter	I .
Detergent		Universal Cleaner, 1 l
Water-cooled motor		I.
=		

■ Included in the scope of supply.































			T	1	1		
		Order no.			Price	Description	丄
Spray lances	ı		1				
Splash guard	1	2.642-706.0				Transparent splash guard for class K 2 to K 7 Kärcher pressure washers protects the operator and surrounding area from spray water. Ideal for cleaning corners and edges.	
Angled spray lance	2	2.638-817.0				Extra-long angled spray lance (about 1 m) for easy cleaning of difficult to reach areas, e.g. roof gutters or vehicle under bodies.	·
1-step lance extension	3	2.643-240.0				Extends spray lance by 0.4 m. For effective cleaning of difficult to reach areas. Suitable for all Kärcher accessories.	
VP 180 S vario power jet short 360° for K 2-K 7	4	2.643-254.0				VP 180 S: The vario power jet short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	
3-step lance extension	5	2.639-722.0				3-stage lance extension set with four aluminium lances for difficult to reach areas. Variable extension to 90 cm, 1.30 n and 1.70 m.	
Splash guard	6	2.640-916.0				Splash guard for dirt blasterProtects against splash back when cleaning corners and edges. Fits all Kärcher dirt blasters (except 4.763-184).	
VP 145, Vario Power Jet for K 3-K 4	7	2.643-235.0				Vario-Power spray lance: spray lance with infinitely variab pressure control from low-pressure detergent jet to high-pressure jet.	le
DB 145, Dirt Blaster for K 2-K 4	8	2.643-244.0				Dirt blaster with powerful rotor nozzle (rotating pencil jet) ideal for removing stubborn dirt. Ideal for moss covered or weathered surfaces.	
Telescopic spray lance	9	2.642-347.0				Telescopic spray lance (1.20 m - 4 m) for easy cleaning of difficult to reach areas. With shoulder strap, bayonet connection and integrated, ergonomically adjustable trigger gu Weight: ca. 2 kg	n. 🗆
MP 145 multi power jet for K 3-K 5	10	2.643-239.0				Multi power jet with 5 types of jets: Cleaning agent jet, HP fan jet, rotary nozzle, pencil jet and wide reduced-pressure fan jet. The suitable jet can be selected by simply twisting.	
Vario Power Jet Short 360° VP 145 S for K 2 - K 4	11	2.643-253.0				VP 145 S: The Vario Power Jet Short 360° with infinitely variable pressure regulation and adjustable 360° joint is ideal for cleaning areas that are difficult to reach.	
Surface cleaners							
PS 40 power scrubber surface cleaner	12	2.643-245.0				PS 40 power scrubber with three integrated high-pressure nozzles. Powerful cleaning action removes stubborn dirt from surfaces quickly and easily. Ideal for stairs and edges.	
Replacement nozzle for T-Racer	13	2.640-727.0				High-quality, grey replacement nozzles for easy replacement of T-Racer nozzles. Suitable for replacing nozzles for the K2-K5 device classes.	
T 450 T-Racer surface cleaner	14	2.643-214.0				Cleans large surfaces without splashing: T-Racer surface cleaner T 450. Extra power nozzle for corners and edges, handle for vertical cleaning, protection grid for gravel surfaces, cleaning pressure adjustment.	
T 350 T-Racer surface cleaner	15	2.643-252.0				With the T-Racer surface cleaner T 350, large surfaces can be cleaned without splashing. Continuous pressure adjustment for hard and sensitive surfaces. Handle for vertical cleaning.	
Replacement nozzles accessories	16	2.643-338.0				High-quality replacement nozzles for all T-Racer surface cleaners (except T 350) for unit classes K 2 to K 7, gutter cleaner PC 20 for K 3 to K 7, as well as chassis cleaner for 2 to K 5.	< D



























21	20					31		
			Q.,				Poil or	
			Order no.				Price	Description
Replacement nozzles aco for T 350	cessories	17	2.643-335.0					The high-quality replacement nozzles guarantee easy replacement of nozzles and are suitable for the T-Racer T 300 / T 350 surface cleaners for the pressure washer unit classes K 2 to K 7.
T-Racer T 250 Surface C	leaner	18	2.642-194.0					T 250 T-Racer for spray-free surface cleaning. With extra handle for cleaning vertical surfaces. The accessories are suitable for Kärcher Home&Garden pressure washers, clas- ses K 2 - K 7.
Brushes								
WB 150 power brush		19	2.643-237.0					WB 150 power brush for splash-free cleaning of sensitive surfaces. The effective combination of high pressure and manual brush pressure saves energy, water and up to 30% time.
WB 60 soft surface wash	h brush	20	2.643-233.0					Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.
Wheel washing brush		21	2.643-234.0					Wheel washing brush for effective cleaning also in difficult to reach areas. Uniform 360° water distribution for a perfect cleaning result.
Soft universal brush		22	2.640-589.0					Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.
Soft surface brush		23	2.640-590.0					Soft brush for cleaning large areas, e.g. cars, caravans, boats, conservatories or roller shutters). Working width of 248 mm ensures good coverage.
Rotary wash brush with	joint	24	2.640-907.0					Rotating washing brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.
WB 100 rotating wash b	orush	25	2.643-236.0					Rotating wash brush with joint for cleaning all smooth surfaces, e.g. paint, glass or plastic. 18° infinitely adjustable joint on handle for cleaning difficult to reach areas.
Soft Wash Brush WB 50		26	2.643-246.0					Universal soft brush for cleaning all types of surfaces. With soft brushes, outer protector ring, union nut and rubber pad.
WB 120		27	2.644-060.0					Rotating wash brush with interchangeable attachment for cleaning all smooth surfaces such as paint, glass or plastic. Quick and easy attachment changing thanks to the integrated release lever.
WB 120 Car & Bike		28	2.644-129.0					Gently cleans cars and motorbikes: The rotating wash brush with innovative soft microfibre interchangeable attachment Car & Bike. Machine washable at 60 °C.
Garden hose adapter		29	2.640-732.0					Adapter for garden hose connection – suitable for attaching all Kārcher brushes to garden hoses with the quick-coupling system.
High-pressure replaceme	ent hose: sy	stem	from 2009 wit	n Quick Connect	system			
H 9 Q high-pressure hos Connect	se Quick	30	2.641-721.0					9 m high-pressure replacement hose for K 2 to K 7 pressure washers manufactured since 2009, on which the hose is attached to the spray gun and device with a Quick Connect quick coupling. 180 bar, 60°C.
High-Pressure replacem	1	•	1					
Extension hose adapter	kit	31	2.643-037.0					Two-part adapter set for connecting an extension hose with screw thread to a pressure washer with a Quick Connect system. Not for hose reel machines.































				 		_
		Order no.		Price	Description	
High-pressure extension hose: Syst	em foi	devices with Quick Co	nnect system	 		
XH 10 Q Quick Connect extension hose	32	2.641-710.0			High-pressure hose extension for greater flexibility. 10 m robust DN 8 quality hose for excellent durability. For K 3 to K 7 devices from 2008 or later with Quick Connect adapter.	
XH 6 Q extension hose Quick Connect	33	2.641-709.0			High-pressure extension hose for greater flexibility. 6 m robust DN 8 quality hose for durability. For K 2 to K 7 series from 2008 with Quick Connect adapter. Connect between spray gun and high-pressure hose.	
XH 10 QR extension hose Quick Connect rubber	34	2.641-708.0			High-pressure extension rubber hose for greater flexibility. 10 m high-quality hose, steel reinforced for durability. For K 3 to K 7 series from 2008 with Quick Connect adapter. Connect between trigger gun and high-pressure hose.	
Pipe cleaning		· · · · · · · · · · · · · · · · · · ·		 '		
PC 15 pipe cleaning kit	35	2.637-767.0			Pipe cleaning kit with 15 m hose for clearing blockages in pipes, drains and downpipes.	
PC 7.5 pipe cleaning kit	36	2.637-729.0			Pipe cleaning kit with 7.5 m hose for clearing blockages in pipes, drains and downpipes.	
PC 20 roof gutter and pipe cleaning kit	37	2.642-240.0			The gutter and pipe cleaning kit works all by itself - with high pressure. It easily cleans outflows, pipe blockages and gutters. Hose length: 20m.	
Pipe cleaning kit 7.5 m	38	2.642-790.0			Pipe cleaning kit for clearing blockages in pipes, drains, downpipes, etc.	
Miscellaneous						
Vario joint	39	2.640-733.0			Vario joint, rotates 180° for cleaning difficult to reach areas. For connection between gun and accessory or extension lance and accessory.	
Water filter	40	4.730-059.0			Water filter protects pressure washer pumps against dirt particles from dirty water.	
O-ring set	41	2.640-729.0			Replacement O-ring set for easy replacement of O-rings and safety plugs on pressure washer accessories.	
Organiser	42	2.641-630.0			Kärcher organiser, the practical wall-mounted storage system for Kärcher accessories. With two modules for flexible mounting, Ideal for protecting wash brushes and bristles from bending.	
SH 5 suction hose	43	2.643-100.0			Environmentally friendly 5-metre long suction hose for sucking up water from alternative sources such as water butts or water containers.	
Sand and wet-blasting kit	44	2.638-792.0			Sand and wet-blasting kit for removing rust, paint and stubborn dirt using Kärcher abrasive.	
Water filter	45	2.642-794.0			Water filter to protect the high-pressure pump against dirt particles from contaminated water.	Г
SH 3 suction hose	46	2.643-101.0			3 metre suction hose for drawing water from alternative sources such as water butts and barrels.	
Foam jet						Ī
FJ 10 C foam jet Connect 'n' Clean with ultra foam cleaner 3-in-1	47	2.643-143.0			Ultra foam cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with car shampoo 3-in-1	48	2.643-144.0			Car shampoo + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
FJ 10 C foam jet Connect 'n' Clean with stone cleaner 3-in-1	49	2.643-145.0			Stone cleaner + quick-change system FJ 10 C Connect 'n' Clean foam nozzle. Easy change between different detergents with just a simple click.	
			· · · · · · · · · · · · · · · · · · ·	 -		-

К4 1.180-150.0





		Order no.			Price	Description	
FJ 3 foam jet	50	2.643-150.0				FJ 3 foam nozzle for cleaning with powerful foam (e.g. ultra foam cleaner). For cars, motorcycles etc. and for applying cleaning products to stone and wood surfaces and façades.	

[☐] Available accessories.





















		Order no.				Price	Description	
Uses sempostion evetoms		Oraci iio.				 1100	Description	
Hose connection systems	1 .	1	1	ı	1 1		1	
Universal hose coupling Plus	1	2.645-193.0					Universal hose coupling plus with soft plastic recessed grips for comfortable handling. Compatible with all click systems.	
Universal hose coupling Plus with Aqua Stop	2	2.645-194.0					Universal hose coupling plus with Aqua Stop and soft plasti recessed grips for comfortable handling. Compatible with al click systems.	- 1
Universal Hose Connector with Agua Stop	3	2.645-192.0					Universal hose coupling with Aqua Stop. Ergonomic design for convenient handling.	
Universal Hose Connector	4	2.645-191.0					Ergonomically designed universal hose coupling for convenient handling.	
Hoses							-	
Hose set for pressure washers	5	2.645-156.0					Hose set for high-pressure cleaning or garden watering. With 10 m PrimoFlex* hose (3/4"), G3/4 tap adaptor, 1 x universal hose connector and universal connector with Aqu Stop.	a
Water supply hose set	6	2.645-258.0					Hose set for water supply (pressure washer, garden watering). With 10 m PrimoFlex* hose (½"), hose connector with and without Aqua Stop, and universal connection for non-threaded taps.	
PrimoFlex* hose 1/2" - 20 m	7	2.645-138.0					The PrimoFlex* (1/2") flexible garden hose is 20 m long, temperature-resistant, comes with pressure-resistant reinforcement technology and contains no substances that are harmful to health. Bursting pressure: 24 bar.	
PrimoFlex* hose 3/4" - 25 m	8	2.645-142.0					PrimoFlex® quality garden hose (3/4"). 25-m long. With pressure-resistant reinforcement mesh. Contains no substances that are harmful to health. Bursting pressure: 24 bar High temperature resistance from -20 to 65 °C.	
Hose storage and hose trolley								
Premium Hose Reel HR 7.315 Kit 5/8"	9	2.645-165.0					Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	ln
Hose Trolley HT 3.420 Kit 5/8"	10	2.645-167.0					Compact hose trolley with height adjustable handle, angled hose connector, free-wheeling crank, and innovative folding function for space-saving stowage. Fully assembled.	- 1
Premium Hose Reel HR 7.315 Kit 1/2"	11	2.645-164.0					Watering Station for the practical and space-saving stowage of hoses and garden accessories. With removable drum, storage possibility for nozzles, spray guns, and spray lances and spacious storage box. Fully equipped.	П

[☐] Available accessories.